

Gazal Al-Jazerah General Contracting Est.



COMPANY PROFILE



رؤية VISION 2030

المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

Our Vision is a strong, thriving and stable Saudi Arabia that provides opportunity for all. Our Vision is a tolerant country with Islam as its constitution and moderation as its method. We will respect those who have come to join our journey and our success.

We intend to provide better opportunities for partnerships with the private sector through the three pillars: our position as the heart of the Arab and Islamic worlds, our leading investment capabilities, and our strategic geographical position. We will improve the business environment, so that our economy grows and flourishes, driving healthier employment opportunities for citizens and long-term prosperity for all. This promise is built on cooperation and on mutual responsibility.

His Royal Highness Prince Mohammed bin Salman bin Abdulaziz Crown Prince, Vice President of the Council of Ministers Chairman of the Council of Economic and Development Affairs.

ABOUT US

Gazal Al-Jazerah General Contracting Est Prefab may be a Porta Cabin Manufacturer in Jeddah offering prefabricated building solution and portable cabins made for various purposes within Saudi Arabia , serving within the industry for quite 10 years now. We build porta cabins as per the customer's requirement and specifications with extra ordinary comfort, flexibility and flexibility . Our cabins are made during a technical manner as per the need which are quickly and simply installed at the location together with your particular requirement.

Porta Cabin Supply and installation we provide all across saudi arabia

We have also maintained High level quality and safety in our manufacturing process of the cabin, weather you need a security Porta cabin or double story Porta cabin we provide , Portable School, Portable shop, Portable Log Cabin, Portable Canteen, Portable Bathrooms, Portable Pantry ,Portable Mess Halls, Portable Building, Portable Hanger ,Portable Toilet Units,

- * Portable Hotel
- * Portable Motel
- * Portable Bunk Houses
- * Portable Farm House
- * Portable Security Offices



Our Vision

Our vision is to attentively handle the most significant strategic trends in our business domain and transform them into reality of products and services. Moreover, our expansion strategy to add new more products will always consider of our business activities. It allows us to be closer to our customers, accomplished by further development and creation of multicultural environment by fostering innovative creativity. Our organization strives sincerely and looking forward with extensive keen for seeking confident cooperation and development based on the foundation of mutual benefits with our valuable customers indeed.

Our Mission

To be an Establishment With global standards and responsibility for creativity and innovation, provide ways to represent specialized construction techniques for high quality, dedication to meet the needs of various companies and sectors, to contribute to urban renaissance, and to achieve the aspirations of modern construction.



Our Services

Furniture Services

Gazal Al-Jazerah General Contracting Est. provides furnishing solutions for residential shelves and office units that are appropriate for nature Customized design to furnish your facilities according to your specifications.

We can adapt to your specific needs with regard to the choice of materials, manufacturing method, dimensions, quantity of products and delivery time, thanks to our expert development team, and the selection of appropriate materials that are appropriate for all financial budgets for furnishing, as well as all supply and installation of carpets, floor liners and parquet that are appropriate for all markets.



Fire Alarm & Fire Fighting System

We are providing Fire Alarm System (conversional & addressable), & Fire fighting systems inside the Porta cabins. Our team are capable to work fire Cabling installation & Termination, cable labeling, Conduiting, Fire fighting piping, sprinkler systems programming Testing & commissioning.

Communication

One of our service include networking, telecommunications, camera's systems inside the Porta cabins Structure Cabling installation & Termination, cable labeling, Conduiting & cable Tray installation, Server Rack & Cable organizing, Patch Panel & Faceplates, Testing & Certification. We have a good certified engineering team for performing communication work.

Air Condition Units

- * Installation of Wall mounted Split Type Unit , Window ,cassette, package Type Unit (Zamil , Carrier or any selected brand).
- * Air-cooled cooper tube aluminum fins
- * Centrifugal or (Axial) direct driven condenser fans.
- * All control and safety devices.
- * Vibration isolators and weather proof external casing.
- * Low-pressure cut-out.
- * Coils are made from high efficiency cooper tube and aluminum fins and tested & commissioning.

Transportation , loading unloading

Transportation

Gazal Al-Jazerah General Contracting Est. provides transportation service for the units manufactured within our production lines. If you need a service to transfer between your locations or move to another location, Al-Damegh Transport Services Company can arrange everything to ensure safe and efficient transportation. By providing cranes, all means of transportation and logistics.

Dismantling & Shifting

In the event you need to move your product to between sites or relocation to another location, Gazal Al-Jazerah General Contracting Est can provide the dismantling, shifting and the assembly work at a cost-effective price.

Renovation / Maintenance

Maintenance

Our commitment towards our clients does not stop at the completion of a project. Gazal Al-Jazerah General Contracting Est provides different maintenance services for different types of portable cabins. Al-Damegh can also provide follow-up service which can help extend the lifespan of your product and save you money in the long run.

Repairs & Refurbishment

Your building can be enhanced or upgraded at any time. Gazal Al-Jazerah General Contracting Est can carry out comprehensive repairs & refurbishments with minimum disruption to you – from adding new fixtures and fittings, to creating new rooms or refreshing existing ones.

Dismantling and Rejoining

in the event that you need to transfer your product to between sites or move to another location, the company can provide dismantling, conversion and assembly work at a cost-effective price with re-production after installation to the initial state with the work of all the necessary maintenance for that.

Sewage & Water Tanks

Gazal Al-Jazerah General Contracting Est provides the service of supplying and installing water and sewage tanks and reservoir filling and emptying services for the drainage tanks for sites that do not have a sewage network

All accommodation and ablution units at Gazal Al-Jazerah General Contracting Est are designed to connect to either the main sewage networks or the septic tanks. You can also provide all the water and sewage tanks that you need for your site. We can also arrange professional emptying service, which is conducted by licensed waste carrier, so there will be no inconvenience or interruption in the smooth operation of your site.

When you rent septic tanks, you will get:

Steel tanks and high-capacity fibers starting from 1000 liters, easy to maintain and transport

Tanks can be connected to each other to increase capacity up to 5000 liters

A full set of septic tanks are available to meet all your requirements when work begins on your site.













Specifications.

◆ Footing	◆ A number of concrete blocks supplied of size (300x300x400 mm) for base laying. (default) Or Leg's
◆ Staircases***	◆ Steel staircases with handrails to be provided for each external door as per approved drawings and specification
◆ Skirting	◆ (0.32 mm) painted sheets (gauge 24) frost white colored external cladding around the perimeter of the building to cover the gap between the ground and the bottom of the building.
◆ Base frame	◆ (120x64 mm) I-section beam (ASTM A36) main runner / base frame. ◆ (120x64 mm) I-section beam (ASTM A36) cross members. ◆ Each member is welded at the joints according to structural welding practice. ◆ All beams are cleaned, primed (anti-corrosion red oxide), and painted for weather protection.
◆ Floor frame	◆ (80x40x0.07 mm) Galvanized L.G.S Steel joists, at each member is welded at the joints according to the structural welded to the steel base.
◆ Floor decking and finishing	◆ (18 mm) thick WATER PROOF & FIRE RATED CEMENT BOARDS glued and screwed to the steel joists for floor decking. ◆ (2mm) thick hard work vinyl rolls for rooms floor finishing.
◆ External walls	◆ (80x40x0.07 mm) Galvanized L.G.S steel joists for wall structure ◆ (50mm) thick fiberglass insulation with aluminum vapor barrier. ◆ (0.32mm) standard corrugated (gauge 24) painted sheets frost white colored for outside covering.
◆ Internal walls	◆ (80x40x0.07 mm) Galvanized L.G.S Steel joists for internal wall structure. ◆ (50 mm) thick fiberglass insulation with aluminum vapor barrier. ◆ (12.5 mm) thick FIRE RATED GYPSUM BOARDS to be screwed to the steel joists for room walls. ◆ (9mm) thick WATER PROOF & FIRE RATED CEMENT BLASTER BOARDS to be screwed to the steel joists for toilets walls.
◆ Roof and internal ceiling	◆ Interior height is (2400mm) from finished floor up to the ceiling. ◆ (80x40x0.07 mm) Galvanized L.G.S joists at trusses for support framing the roofs. ◆ (12.5 mm) thick FIRE RATED GYPSUM BOARDS to be screwed to the steel joists or 0.60 x 0.60 Aram Strong for Ceiling. ◆ (50 mm) thick fiberglass insulation with aluminum vapor barrier.
◆ A/C	◆ Split type A/C hole with electrical provision switch





مؤسسة غزل الجزيرة للمقاولات العامة
Gazal Al-Jazerah General Contracting Est.


C.R. 2050153146 | س.ت. ٢٠٥٠١٥٣١٤٦

◆ External doors	◆ High quality, thick, and weather proof steel/aluminum doors with handle locks and keys.
◆ Internal doors	◆ For rooms /offices hollow core wooden doors of size (900x2050mm) with round lock and keys. ◆ For toilets: steel door of size (750x2050mm) with handle locks and keys.
◆ Windows	◆ (1000x1000 mm) white powder coated frame aluminum sliding window, dust proof, with horizontal clear (6 mm) tinted glass and a fly screen of size (500 x1000mm).
◆ Safety specifications	◆ Smoke detectors (battery type) to be fixed for each office. ◆ Fire extinguishers 6kg for exit door (Heba) ◆ Emergency light to be fixed above each exit door. ◆ Exit light to be fixed above each external door
◆ Telephone & data outlets.	◆ Telephone & Data outlets flexible hose conduits only drop to floor. (no wiring) as per the drawings, and layouts
◆ Electrical specifications	◆ All the electrical connections will be as per SA local code. ◆ The electrical service voltage will be as your request (380/220 v) ◆ Flexible metal hoses, and metal conduits concealed within walls and ceiling to install the wiring system. ◆ Non-metallic sheet copper wires of sizes (4 mm) and (6 mm) for different types of loads. ◆ Complete 3 phase distribution panel board with main circuit breaker and sufficient branch circuit breakers. ◆ Different types of receptacles (220V, switches). ◆ Fine ready-wiring grid for all types of air conditioners and water heaters. ◆ (50W) (250x250mm) exhaust fans for each toilets. ◆ Interior light fixtures (2x40 watt) with a plastic cover. ◆ Exterior weather proof lighting fixtures mounted above each external door.
◆ Plumbing Specifications	◆ Plumbing installations as per SA local code. ◆ Hot water supply piping system (CPVC - schedule 80) concealed to wet areas wall structure. ◆ Cold water supply piping system (PVC - schedule 80) concealed to wet areas wall structure. ◆ Ceramic toilet seat (western) type with complete accessories. ◆ Ceramic hand wash basin.


***** Nothing follows *****



Gym 10.0 x 10.0 m



Side View Front View



GYM

SPECIAL FEATURES

- FIRE RATED WALL
- DOOR CLOSER AND DOOR STOPPER
- BATTERY TYPE SMOCK DETECTOR
- EMERGENCE EXIT GREEN LIGHT
- FIRE EXTINGUISHERS (HEBA) 6LTR

INTERIOR WALL FINISHING			
AREA 12.0 x 11.25 M	FLOOR	WALL'S	CEILING
ALL PORTABLE BUILDING	18 mm CEMENT BOARD WITH CARPET 4mm	0.70 MM THICK GALVANIZED STEEL RUNNERS AND STUD'S WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR	0.70 MM GALVANIZED STEEL RUNNERS AND STUD'S WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR

ALL THE DIMENSIONS ARE IN METERS UNLESS OTHER WISE NOTED

BUILDING PROFILE



LEGEND

- A.D.D 2.00m (H) x 1.80m (W) Exterior Aluminum Door with Half Glass
- A.D 2.00m (H) x 1.00m (W) Aluminum Door
- D Steel door 0.75 x 2.02 m
- W Aluminum sliding window 1.00 x 1.00 m
- A.C Split Type A/C with base frame
- 20 amp. Electric Sockets
- 20 amp. Ac Sockets
- 20 amp. Lights Switch's
- E.P.B Electrical Panel board
- L 2 x 40 Watt Fluorescent Lights
- Battery type Smoke Detector

CONTRACTOR :


SUB-CONTRACTOR :

DESCRIPTION :


NO	DESCRIPTION	QUANTITY	UNIT
1	250		

Designed by : Eng. Md Fazal Ur Rehman Shahed
 E-mail : mdfazal9966@gmail.com
 Cell : +966 971 624 378 , +966 569 090 658

Gym 20.0 x 20.0 m



Side View Front View



GYM


SPECIAL FEATURES

- FIRE RATED WALL
- DOOR CLOSER AND DOOR STOPPER
- BATTERY TYPE SMOCK DETECTOR
- EMERGENCE EXIT GREEN LIGHT
- FIRE EXTINGUISHERS (HEBA) 6LTR

INTERIOR WALL FINISHING			
AREA 12.0 x 11.25 M	FLOOR	WALL'S	CEILING
ALL PORTABLE BUILDING	18 mm CEMENT BOARD WITH CARPET 4mm	0.70 MM THICK GALVANIZED STEEL RUNNERS AND STUD'S WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR	0.70 MM GALVANIZED STEEL RUNNERS AND STUD'S WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR

ALL THE DIMENSIONS ARE IN METERS UNLESS OTHER WISE NOTED

BUILDING PROFILE



LEGEND

- A.D.D 2.00m (H) x 1.80m (W) Exterior Aluminum Door with Half Glass
- A.D 2.00m (H) x 1.00m (W) Aluminum Door
- D Steel door 0.75 x 2.02 m
- W Aluminum sliding window 1.00 x 1.00 m
- A.C Split Type A/C with base frame
- 20 amp. Electric Sockets
- 20 amp. Ac Sockets
- 20 amp. Lights Switch's
- E.P.B Electrical Panel board
- L 2 x 40 Watt Fluorescent Lights
- Battery type Smoke Detector

CONTRACTOR :



SUB-CONTRACTOR :

DESCRIPTION :

NO	DESCRIPTION	QUANTITY	UNIT
1	250		


Designed by : Eng. Md Fazal Ur Rehman Shahed
 E-mail : mdfazal9966@gmail.com
 Cell : +966 971 624 378 , +966 569 090 658

Mess Hall 10.0 x 10.0 m

Kitchen & Mess Hall

BUILDING PROFILE



LEGEND

- A.D 2.00m (h) x 1.80m (w) Exterior Aluminum Door with Half Glass
- A.D 2.00m (h) x 1.00m (w) Aluminum Door
- SD Steel door 0.75 x 2.02 m
- AW Aluminum sliding window 1.00 x 1.00 m
- S Split Type A/C with base frame
- 20 amp. Electric Sockets
- 20 amp. Ac Sockets
- 20 amp. Lights Switch's
- E Electrical Panel board
- 2 x 40 Watt Florescent Lights
- Battery type Smoke Dictator

CONTRACTOR :

SUB-CONTRACTOR :

DESCRIPTION :

PROJECT NO.	PROJECT NAME	PROJECT DATE
100		250
REV. NO.	REV. DATE	REV. BY
00	0 : 00	0 / 0

Designed by : Eng. Md.Fazal Ur Rehman Shahed
 E-mail : mdfazal9966@gmail.com
 Cell : +966 571 624 378 , +966 569 090 658



SPECIAL FEATURES

- FIRE RATED WALL
- DOOR CLOSER AND DOOR STOPPER
- BATTERY TYPE SMOCK DETECTOR
- EMERGENCE EXIT GREEN LIGHT
- FIRE EXTINGUISHERS (HEBA) 6LTR

AREA 12.0 x 11.25 M	INTERIOR WALL FINISHING		
	FLOOR	WALL'S	CEILING
ALL PORTABLE BUILDING	18 mm CEMENT BOARD WITH CARPET 4mm	0.70 MM THICK GALVANIZED STEEL RUNNERS AND STUD'S WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR	0.70 MM GALVANIZED STEEL RUNNERS AND STUD'S WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR


ALL THE DIMENSIONS ARE IN METERS UNLESS OTHER WISE NOTED

Mess Hall 20.0 x 20.0 m

Kitchen & Mess Hall

BUILDING PROFILE



LEGEND

- A.D 2.00m (h) x 1.80m (w) Exterior Aluminum Door with Half Glass
- A.D 2.00m (h) x 1.00m (w) Aluminum Door
- SD Steel door 0.75 x 2.02 m
- AW Aluminum sliding window 1.00 x 1.00 m
- S Split Type A/C with base frame
- 20 amp. Electric Sockets
- 20 amp. Ac Sockets
- 20 amp. Lights Switch's
- E Electrical Panel board
- 2 x 40 Watt Florescent Lights
- Battery type Smoke Dictator

CONTRACTOR :

SUB-CONTRACTOR :

DESCRIPTION :

PROJECT NO.	PROJECT NAME	PROJECT DATE
100		250
REV. NO.	REV. DATE	REV. BY
00	0 : 00	0 / 0

Designed by : Eng. Md.Fazal Ur Rehman Shahed
 E-mail : mdfazal9966@gmail.com
 Cell : +966 571 624 378 , +966 569 090 658

SPECIAL FEATURES

- FIRE RATED WALL
- DOOR CLOSER AND DOOR STOPPER
- BATTERY TYPE SMOCK DETECTOR
- EMERGENCE EXIT GREEN LIGHT
- FIRE EXTINGUISHERS (HEBA) 6LTR

AREA 12.0 x 11.25 M	INTERIOR WALL FINISHING		
	FLOOR	WALL'S	CEILING
ALL PORTABLE BUILDING	18 mm CEMENT BOARD WITH CARPET 4mm	0.70 MM THICK GALVANIZED STEEL RUNNERS AND STUD'S WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR	0.70 MM GALVANIZED STEEL RUNNERS AND STUD'S WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR

ALL THE DIMENSIONS ARE IN METERS UNLESS OTHER WISE NOTED

1 Room +1 Toilet + Open Kitchen with Sitting lounge

Front View

Two Room's + One Kitchen with open sitting lounge + One Toilet's

SPECIAL FEATURES

- FIRE RATED WALL
- DOOR CLOSER AND DOOR STOPPER
- BATTERY TYPE SMOCK DETECTOR
- EMERGENCE EXIT GREEN LIGHT
- FIRE EXTINGUISHERS (HEBA) 6LTR

AREA 12.0 x 3.75 M	INTERIOR WALL FINISHING		
	FLOOR	WALL'S	CEILING
All Portable	18 MM cement board with VINYL SHEET 2mm	0.70 MM THICK GALVANIZED STEEL RUNNERS AND STUD'S WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR	0.70 MM GALVANIZED STEEL RUNNERS AND STUD'S WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR

ALL THE DIMENSIONS ARE IN METERS UNLESS OTHER WISE NOTED

BUILDING PROFILE

LEGEND

	2.07m (H) x 0.97m (W) Exterior Steel Door
	Aluminum sliding window 1.00 x 1.00 m
	Window Type A/C with base frame
	20 amp. Electric Sockets
	20 amp. Ac Sockets
	20 amp. Lights Switch's
	Electrical Panel board
	2 x 40 Watt Florescent Lights
	Battery type Smoke Dictator

CONTRACTOR :
SUB-CONTRACTOR :
DESCRIPTION :

DATE	REVISED	SCALE
		250
DATE	TIME	DATE/TIME
00	0 : 00	0 / 0

Designed by : Eng. Md.Fazal Ur Rehman Shahed
E-mail : mofazal9966@gmail.com
Cell : +966 571 624 378 , +966 569 090 658

2 Room's + 1 Kitchen + 1 Toilet 12.0 x 3.66 m

Front View

Two Room's + One Kitchen + One Toilet's

SPECIAL FEATURES

- FIRE RATED WALL
- DOOR CLOSER AND DOOR STOPPER
- BATTERY TYPE SMOCK DETECTOR
- EMERGENCE EXIT GREEN LIGHT
- FIRE EXTINGUISHERS (HEBA) 6LTR

AREA 12.0 x 3.75 M	INTERIOR WALL FINISHING		
	FLOOR	WALL'S	CEILING
All Portable	18 MM cement board with VINYL SHEET 2mm	0.70 MM THICK GALVANIZED STEEL RUNNERS AND STUD'S WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR	0.70 MM GALVANIZED STEEL RUNNERS AND STUD'S WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR

ALL THE DIMENSIONS ARE IN METERS UNLESS OTHER WISE NOTED

BUILDING PROFILE

LEGEND

	2.07m (H) x 0.97m (W) Exterior Steel Door
	Aluminum sliding window 1.00 x 1.00 m
	Window Type A/C with base frame
	20 amp. Electric Sockets
	20 amp. Ac Sockets
	20 amp. Lights Switch's
	Electrical Panel board
	2 x 40 Watt Florescent Lights
	Battery type Smoke Dictator

CONTRACTOR :
SUB-CONTRACTOR :
DESCRIPTION :

DATE	REVISED	SCALE
		250
DATE	TIME	DATE/TIME
00	0 : 00	0 / 0

Designed by : Eng. Md.Fazal Ur Rehman Shahed
E-mail : mofazal9966@gmail.com
Cell : +966 571 624 378 , +966 569 090 658

D.09

Mosque

SPECIAL FEATURES

- FIRE RATED WALL
- DOOR CLOSER AND DOOR STOPPER
- BATTERY TYPE SMOCK DETECTOR
- EMERGENCE EXIT GREEN LIGHT
- FIRE EXTINGUISHERS (HEBA) 6LTR

AREA 12.0 x 11.25 M	INTERIOR WALL FINISHING		
	FLOOR	WALL'S	CEILING
ALL PORTABLE BUILDING	18 mm CEMENT BOARD WITH CARPET 4mm	0.70 MM THICK GALVANIZED STEEL RUNNERS AND STUDS WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR	0.70 MM GALVANIZED STEEL RUNNERS AND STUDS WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR

ALL THE DIMENSIONS ARE IN METERS UNLESS OTHER WISE NOTED

BUILDING PROFILE

LEGEND

- A.C.D 2.00m (H) x 1.80m (W) Exterior Aluminum Door with Half Glass
- A.S Aluminum sliding window 1.00 x 1.00 m
- S Split Type AC with base frame

CONTRACTOR :

SUB-CONTRACTOR :

DESCRIPTION :

PROJ. NO.	00	DATE	0 : 00	SCALE	0 / 0
-----------	----	------	--------	-------	-------

Designed by : Eng. Md.Fazal Ur Rehman Shahed
E-mail : mdfazal9999@gmail.com
Cell : +966 571 624 378 , +966 568 090 658

D.10

Kitchen & Mess Hall

SPECIAL FEATURES

- FIRE RATED WALL
- DOOR CLOSER AND DOOR STOPPER
- BATTERY TYPE SMOCK DETECTOR
- EMERGENCE EXIT GREEN LIGHT
- FIRE EXTINGUISHERS (HEBA) 6LTR

AREA 12.0 x 11.25 M	INTERIOR WALL FINISHING		
	FLOOR	WALL'S	CEILING
ALL PORTABLE BUILDING	18 mm CEMENT BOARD WITH VINYL SHEET 2mm	0.70 MM THICK GALVANIZED STEEL RUNNERS AND STUDS WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR	0.70 MM GALVANIZED STEEL RUNNERS AND STUDS WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR

ALL THE DIMENSIONS ARE IN METERS UNLESS OTHER WISE NOTED

BUILDING PROFILE

LEGEND

- A.C.D 2.00m (H) x 1.80m (W) Exterior Aluminum Door with Half Glass
- A.S 2.00m (H) x 0.90m (W) Interior Aluminum Door
- A.S.D 2.00m (H) x 0.75m (W) Interior Steel Door
- A.W Aluminum sliding window 1.00 x 1.00 m
- S Split Type AC with base frame
- E Exhaust fan 0.25 x 0.25m

CONTRACTOR :

SUB-CONTRACTOR :

DESCRIPTION :

PROJ. NO.	00	DATE	0 : 00	SCALE	0 / 0
-----------	----	------	--------	-------	-------

Designed by : Eng. Md.Fazal Ur Rehman Shahed
E-mail : mdfazal9999@gmail.com
Cell : +966 571 624 378 , +966 568 090 658

D.01

V.I.P Accommodation

SPECIAL FEATURES

- FIRE RATED WALL
- DOOR CLOSER AND DOOR STOPPER
- BATTERY TYPE SMOCK DETECTOR
- EMERGENCY EXIT GREEN LIGHT
- FIRE EXTINGUISHERS (HEBA) 6LTR

AREA 12.0 x 4.0 M	INTERIOR WALL FINISHING		
	FLOOR	WALL'S	CEILING
Room	18 mm CEMENT BOARD WITH CARPET 4mm	0.70 MM THICK GALVANIZED STEEL RUNNERS AND STUDS WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR	0.70 MM GALVANIZED STEEL RUNNERS AND STUDS WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR
Sitting Lounge	18 MM cement board with VINYL SHEET 2mm		
Toilet			
Corridor			

ALL THE DIMENSIONS ARE IN METERS UNLESS OTHER WISE NOTED

BUILDING PROFILE

LEGEND

- R1 2.05m(H) x 0.90m (w) Interior wooden Door
- R2 2.07m (H) x 0.97m (w) Exterior Steel Door
- R3 2.00m (H) x 0.75m (w) Interior Steel Door
- R4 Aluminum sliding window 1.00 x 1.00 m
- R5 Split Type A/C with base frame
- R6 Exhaust fan 0.25 x .025m

CONTRACTOR :
SUB-CONTRACTOR :
DESCRIPTION :
PROJECT :
DATE :
NO. OF 00 FLOOR 0 : 00 SHEET No 0 / 0
Designed by : Eng. Md Fazal Ur Rehman Shahed
E-mail : mofazal9966@gmail.com
Cell : +966 571 624 378 ; +966 569 090 658

D.01

V.I.P Clinic

SPECIAL FEATURES

- FIRE RATED WALL
- DOOR CLOSER AND DOOR STOPPER
- BATTERY TYPE SMOCK DETECTOR
- EMERGENCY EXIT GREEN LIGHT
- FIRE EXTINGUISHERS (HEBA) 6LTR

AREA 12.0 x 7.50 M	INTERIOR WALL FINISHING		
	FLOOR	WALL'S	CEILING
All Portable Building	18 MM cement board with Epoxy Paint	0.70 MM THICK GALVANIZED STEEL RUNNERS AND STUDS WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR	0.70 MM GALVANIZED STEEL RUNNERS AND STUDS WITH 100 MM THICK INSULATION AND 12.5 MM GYPSUM BOARD PAINTED ACCESSIBLE WHITE COLOR

ALL THE DIMENSIONS ARE IN METERS UNLESS OTHER WISE NOTED

BUILDING PROFILE

LEGEND

- R1 2.05m(H) x 0.90m (w) Interior wooden Door
- R2 2.00m (H) x 1.80m (w) Exterior Aluminum Door
- R3 2.00m (H) x 0.75m (w) Interior Steel Door
- R4 Aluminum sliding window 1.00 x 1.00 m
- R5 Split Type A/C with base frame
- R6 Exhaust fan 0.25 x .025m

CONTRACTOR :
SUB-CONTRACTOR :
DESCRIPTION :
PROJECT :
DATE :
NO. OF 00 FLOOR 0 : 00 SHEET No 0 / 0
Designed by : Eng. Md Fazal Ur Rehman Shahed
E-mail : mofazal9966@gmail.com
Cell : +966 571 624 378 ; +966 569 090 658

Gazal Al-Jazerah General Contracting Est.



Contact

Phone:

+966 56 026 1296

Mail:

info@gazalajzerah.com.sa

Website:

www.gazalajzerah.com.sa

Address:

Dammam : Abu Hedriyad Road - Abu Maan
Kingdom of Saudi Arabia

